D<u>IAGNOSTIC ULTRASOUND</u>

Patient Name: Date of Birth: Sex: Accession #: Study Description: Date of Exam:



RAM875615

11/5/2014 5:05:51 AM

History: Indications: Comments:

Pain

PROCEDURE PROTOCOL: Images of the cervical, thoracic and lumbar spine, as well as the sacroiliac joint and trapezius regions were obtained in the longitudinal and transverse projections. The patient presented at the referring physician for ultrasound examination. This testing will further evaluate the patient condition in order to evaluate the extent and severity of our valuable patient's condition and to help look for and develop the most efficient treatment plan. According to the clinical opinion of the referring physician this diagnostic ultrasound study would be recommended.

FINDINGS:

Cervical Spine:

- C1: Within normal limits.
- C2: Within normal limits.
- C3: Within normal limits.
- C4: Within normal limits.
- C5: Within normal limits.
- C6: Within normal limits.
- C7: Moderate facet region inflammation bilaterally.

Thoracic Spine:

- T1: Within normal limits.
- T2: Within normal limits.
- T3: Within normal limits.
- T4: Within normal limits.
- T5: Within normal limits.
- T6: Within normal limits.
- T7: Within normal limits.

The Protected Health Information contained in this fax is highly confidential. It is intended for the exclusive use of the addressee. It is to be used only to aid in providing specific healthcare service to this patient. Any other use is a violation of Federal Law (HIPAA) and will be reported as such. If you have received this information in error please contact the above immediately.

D<u>IAGNOSTIC ULTRASOUND</u>

Patient Name: Date of Birth: Sex: Accession #: Study Description: Date of Exam:



RAM875615

11/5/2014 5:05:51 AM

- T8: Within normal limits.
- T9: Within normal limits.
- T10: Within normal limits.
- T11: Within normal limits.
- T12: Moderate facet region inflammation bilaterally.

Trapezius Muscle: Right: Within normal limits. Left: Within normal limits.

Lumbar Spine:

- L1: Within normal limits.
- L2: Within normal limits.
- L3: Within normal limits.
- L4: Within normal limits.
- L5: Mild facet region inflammation bilaterally.

Sacroiliac Joint: Right: Within normal limits. Left: Within normal limits.

CONCLUSION:

Regional soft tissue inflammatory changes within the cervical, thoracic and lumbar spine regions, as above. Clinical correlation is suggested.

Dictated, Authenticated and

The Protected Health Information contained in this fax is highly confidential. It is intended for the exclusive use of the addressee. It is to be used only to aid in providing specific healthcare service to this patient. Any other use is a violation of Federal Law (HIPAA) and will be reported as such. If you have received this information in error please contact the above immediately.